



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL ALL MEASUREMENTS ARE IN INCHES FROM TIP BLANK MODEL

XMG 50 TRAVEL

XMG 904	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 1084-4
Guide Sizes	1	1	1	2	2	2	3	4	10	12							
XMG 905	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 108 5
Guide Sizes	1	1	1	2	2	2	3	4	10	12							
XMG 906	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 1086-4
Guide Sizes	1	1	1	2	2	2	3	4	10	12							
XMG 907	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 1087-4
Guide Sizes	1	1	1	2	2	2	3	4	12	16							
XMG 908	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 1088-4
Guide Sizes	4	4	4	4	5	5	5	6	12	16							
XMG 909	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 1089-4
Guide Sizes	4	4	4	4	5	5	5	6	12	16							
XMG 910	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	75 1/8							ET 108-10
Guide Sizes	4	4	4	4	5	5	5	6	12	16							
XMG 912	4	9	15 1/8	21 1/2	28	35 3/4	43 3/4	53 3/8	63	78 1/8							IMT 108-12
Guide Sizes	4	4	4	4	5	5	5	6	16	20							
XMG 967	4 1/2	9 1/2	15 3/4	22 1/4	29	36 7/8	45 3/8	56 1/4	67 1/2	81 1/2							ET 1147-4
Guide Sizes	1	1	1	2	2	2	3	4	12	16							

SPRING CREEK

AT 663	4	9	15	22	30	39 1/2	50										ET 783
Guide Sizes	1	1	1	2	2	3	10										
AT 703	4 3/8	9 3/8	15 1/2	21 3/8	28 1/2	36 1/2	45	56									ET 843 3
Guide Sizes	1	1	1	2	2	3	4	10									
AT 764	5 1/2	12	19 1/4	27 1/4	35 1/2	43 1/2	52 1/2	62 3/4									ET 904
Guide Sizes	1	1	1	2	2	3	4	12									
AT 803	4 1/2	9 1/2	15 1/2	22 3/4	30 1/2	38 3/4	46 7/8	56 3/4	67 3/4								ET 963
Guide Sizes	1	1	1	2	2	3	4	10	12								
AT 805	4 1/2	9 1/2	15 1/2	22 3/4	30 1/2	38 3/4	47	57	68								ET 965
Guide Sizes	1	1	1	2	2	3	4	10	12								
AT 865	5 1/2	10 7/8	17 3/4	25	32 3/8	41 1/8	50 1/8	59 3/4	70 1/4								ET 1025
Guide Sizes	1	1	1	2	2	3	4	10	12								

G1000 GRAPHITE FLY

G 1298-4	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-4
Guide Sizes	1	1	1	2	2	2	3	4	10	12							
G 1298-5	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-5
Guide Sizes	1	1	1	2	2	2	3	4	10	12							
G 1298-6	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-6
Guide Sizes	1	1	1	2	2	2	3	4	10	12							
G 1298-7	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-7
Guide Sizes	2	2	2	2	3	3	3	4	10	12							
G 1298-8	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-8
Guide Sizes	3	3	3	4	4	4	5	6	12	16							
G 1298-9	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-9
Guide Sizes	4	4	4	4	5	5	5	6	16	20							
G 1298-10	4	9	15 1/8	21 1/2	28 3/8	35 3/4	43 3/4	53 3/8	63	75 1/8							GF 108-10
Guide Sizes	4	4	4	4	5	5	5	6	16	20							

Ti2000 TITANIUM/IM700

TBC 86 MT	3	6	9	12	15	18	21 1/4	25 1/2	29 3/4	35 3/4	42 3/4	50 3/4	62 1/2				TIMSH 102 2MT
Guide Sizes	6	6	6	6	6	6	6	7	7	8	8	10	12				
TBC 86 H	3	6	9	12	15	18	21 1/4	25 1/2	29 3/4	35 3/4	42 3/4	50 3/4	62 1/2				TIMSH 102 2H
Guide Sizes	7	7	7	7	7	7	8	8	8	10	12	16					
TBC 96 MT	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2			TIMSH 114 2MT
Guide Sizes	6	6	6	6	6	7	7	7	8	8	8	8	10	12			

XMG 50

EXC 89 MT	3	6	9	12	15	18	21	24 1/4	28	32 1/2	38 1/8	44 7/8	52 1/2	63 3/4			XMG 105 2MT
Guide Sizes	6	6	6	6	6	6	6	6	7	7	8	8	10	12			
EXC 92 M	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/4	40 1/4	46 1/4	53 1/2	61 1/2	70			XMG 110 2M
Guide Sizes	6	6	6	6	6	7	7	7	8	8	8	10	12				
EXC 92 M-C	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/4	40 1/4	46 1/4	53 1/2	61 1/2	70			XMG 110 2M
Guide Sizes	6	6	6	6	6	7	7	7	8	8	8	8	10	12			
EXC 96 M	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2			XMG 114 2M
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	10	12			
EXC 10 M	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2			XMG 120 2M
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	10	12			



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
EXS 92 M	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	41 3/8	54 3/8	70 1/2							XMG 110 2M
Guide Sizes	6	6	7	8	8	10	12	16	20							
EXS 92 M-C	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	41 3/8	54 3/8	70 1/2							XMG 110 2M
Guide Sizes	6	6	7	8	8	10	12	16	20							
EXS 96 LL	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	56 3/8	73 1/2							XMG 114 2LL
Guide Sizes	6	6	7	8	8	10	12	16	20							
EXS 96 L	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	56 3/8	73 1/2							XMG 114 2L
Guide Sizes	6	6	7	8	8	10	12	16	20							
EXS 106 ML	4 1/8	8 3/8	13	18 5/8	24 5/8	33 1/2	44 1/2	56 1/2	69 3/8	83 3/8						XMG 126 2ML
Guide Sizes	7	7	7	8	8	8	10	12	20	25						

CERTIFIED PRO

X 80 MBC	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	47 1/2	56				XLB 96 1MT
Guide Sizes	7	7	7	7	7	7	7	7	8	8	10	12				
X 80 MBC GH	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	47 1/2	56				XLB 96 1MT
Guide Sizes	7	7	7	7	7	7	7	7	8	8	10	12				
X 86 MC	3	6	9	12	15	18	21 1/4	25 1/2	29 3/4	35 3/4	42 3/4	50 3/4	62 1/2			XSH 102 2M
Guide Sizes	6	6	6	6	6	6	6	7	7	8	8	10	12			
X 86 MTC	3	6	9	12	15	18	21 1/4	25 1/2	29 3/4	35 3/4	42 3/4	50 3/4	62 1/2			XSH 102 2MT
Guide Sizes	6	6	6	6	6	6	6	7	7	8	8	10	12			
X 89 MTC	3	6	9	12	15	18	21	24 1/4	28	32 1/2	38 1/8	44 7/8	52 1/2	63 3/4		XSH 105 2MT
Guide Sizes	6	6	6	6	6	6	6	6	7	7	8	8	10	12		
X 89 MTC GH	3	6	9	12	15	18	21	24 1/4	28	32 1/2	38 1/8	44 7/8	52 1/2	63 3/4		XSH 105 2MT
Guide Sizes	6	6	6	6	6	6	6	6	7	7	8	8	10	12		
X 90 MC	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	35 1/2	41	47	53 1/2	60 1/2	68 1/2		XSH 108 2MMT
Guide Sizes	6	6	6	6	6	7	7	7	7	7	8	8	10	12		
X 90 HC	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	35 1/2	41	47	53 1/2	60 1/2	68 1/2		XSA 108 2H
Guide Sizes	7	7	7	7	7	8	8	8	8	8	8	10	12	16		
X 96 JC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2		XSH 114 2MJ
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	10	12		
X 96 MC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2		XSH 114 2M
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	10	12		
X 10 MC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2		XSH 120 2M
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	10	12		
X 10 MHC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29 1/4	34 1/2	40 3/4	48	56 1/2	64 3/4	74 1/2		XSH 120 2MH
Guide Sizes	6	6	6	6	6	7	7	7	8	8	8	8	10	12		
X 10 MTC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/2	29	33 3/4	39 1/8	45 1/4	52 1/8	59 5/8	68 7/8	80 1/2	XSH 120 2MT
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	8	10	12	
X 106 MC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/4	29	34	39 1/4	47	55 1/2	63	72	84	XSH 126 2M
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	8	10	12	
X 106 MLC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/4	29	34	39 1/4	46	53	62	72	84	XSH 126 2ML
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	8	8	10	12	
X 106 MHC	3	6 1/8	9 1/4	12 1/2	16	20	24 1/4	29	34	40	47	54 1/2	63	72	84	XSH 126 2MH
Guide Sizes	7	7	7	7	7	7	8	8	8	8	8	8	10	12	16	
X 110 MHC	5	10 1/2	16 1/2	23	30	37 1/2	46	55 1/2	66 1/2	79	92					XSH 132 2MH
Guide Sizes	8	8	8	8	10	10	10	12	12	16	20					
X 86 MTS	3 3/4	8	12 3/4	18 1/4	24 1/4	32	40 1/2	50 1/2	64							XSH 102 2MT
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 86 MS	3 3/4	8	12 3/4	18 1/4	24 1/4	32	40 1/2	50 1/2	64							XSH 102 2M
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 89 MTS	3 3/4	8	12 3/4	18 1/4	24 1/4	32	40 1/2	51 1/2	66							XSH 105 2MT
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 90 HS	3 3/4	8	12 3/4	18 1/4	24 1/4	32	40 1/2	52 1/2	68							XSA 108 2H
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 96 LLS	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	56 3/8	73 1/2							XSH 114 2LL
Guide Sizes	6	6	7	8	8	10	12	16	20							
X 96 LS	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	56 3/8	73 1/2							XSH 114 2L
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 96 JS	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	56 3/8	73 1/2							XSH 114 2MJ
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 96 MTS	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	56 3/8	73 1/2							XSH 114 2MT
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 10 MTS	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	58 3/8	76 1/2							XSH 120 2MT
Guide Sizes	7	7	8	8	8	10	12	20	25							
X 10 MS	4 1/4	8 1/2	13	18 5/8	24 5/8	32 3/8	42 3/8	58 3/8	76 1/2							XSH 120 2M
Guide Sizes	7	7	8	8	8	10	12	20	25							



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
X 106 MLS	4 1/8	8 3/8	13	18 5/8	24 5/8	33 1/2	44 1/2	56 1/2	69 3/8	83 3/8						XSH 126 2ML
Guide Sizes	7	7	7	8	8	8	10	12	20	25						
X 12 MS	4 1/4	8 3/8	13	18 5/8	23 3/4	31 1/2	41	51	63	75 1/2	89 1/2	104				XSH 144 3M
Guide Sizes	7	7	7	7	8	8	8	8	10	12	20	25				

X 13 LS	4 1/4	8 3/8	13	18 5/8	24 1/2	31	41	51	62 1/2	74 1/2	85 3/4	101 1/2	118			XSH 156 3L
Guide Sizes	7	7	7	7	7	8	8	8	8	10	12	20	25			

CERTIFIED PRO FIBERGLASS

XCF 801	3	6	9	12	15 1/4	18 3/4	22 3/4	26 3/4	31	35 3/4	41	48 1/2	56			BSP 961
Guide Sizes	6	6	6	6	6	7	7	7	7	8	8	10	12			
XCF 803	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 7/8	30 1/2	36	41 5/8	47 1/2	56				BMB 96 1E
Guide Sizes	7	7	7	7	7	7	7	7	8	10	12	16				
XCF 862	3	6	9	12	15	18	21 1/4	25 1/2	29 3/4	35 3/4	42 3/4	50 3/4	62 1/2			BXCF 102 2M
Guide Sizes	8	8	8	8	8	8	8	8	10	10	12	12	16			
XCF 864	3	6	9	12	51	18	21 1/4	25 1/2	29 3/4	36 2/3	42 3/4	50 3/4	62 1/2			BXCF 102 2H
Guide Sizes	8	8	8	8	8	8	8	8	10	10	12	12	16			
XCF 903	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	35 1/2	41	47	53 1/2	60 1/2	68 1/8		BXCF 108 2MH
Guide Sizes	8	8	8	8	8	8	8	10	10	10	12	12	12	16		
XCF 904	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	35 1/2	41	47	53 1/2	60 1/2	68 1/2		BXCF 108 2H
Guide Sizes	8	8	8	8	8	8	8	10	10	10	12	12	12	16		
XCF 1064	4 1/2	10 1/2	17	25	34	44	55	67	80							BSH 126 4F
Guide Sizes	8	8	8	8	10	10	10	12	16							
XCF 1065	4 1/2	10 1/2	17	25	34	44	55	67	80							BSH 126 5F
Guide Sizes	8	8	8	8	10	10	10	12	16							
XCF 106 4F	4 1/2	10 1/2	17	25	34	44	55	67	80							BSH 126 4F
Guide Sizes	8	8	8	8	10	10	10	12	16							
XCF 1065F	4 1/2	10 1/2	17	25	34	44	55	67	80							BSH 126 5F
Guide Sizes	8	8	8	8	10	10	10	12	16							

G1000 SERIES

G 1300-T	4	9	15	22	30	39	51									GSH 90 2MT
Guide Sizes	6	6	8	10	10	12	16									
G 1302-T	4 1/2	9 1/2	15	21	27 1/2	34 3/4	42 3/4	52 1/2								GLB 90 2M
Guide Sizes	8	8	8	8	10	10	12	16								
G 1303-T	5 1/2	11 1/4	18 1/2	26	34	43	53 1/4									GLB 90 1M
Guide Sizes	8	8	8	10	10	12	16									
G 1334-T	4	8 1/2	14	20	27	35	44	55								GSH 90 1MT
Guide Sizes	6	6	6	8	8	10	12	16								
G 1336-T	4	8 1/2	14	20	27	35	44	54								GFP 90 MH
Guide Sizes	6	6	6	8	8	10	12	16								
G 1382-T	4	9	14	19 3/4	26	33 5/8	41 5/8	50 5/8								GLB 96 1MH
Guide Sizes	6	6	6	8	8	8	10	12								
G 1352-T	3 3/4	7 3/4	12 1/4	17	22 1/2	28 3/4	35 3/4	44	53 1/2							GLB 93 1MT
Guide Sizes	6	6	6	6	8	8	8	10	12							
G 1330-T	4	9	15	22	30	39	49	60								
Guide Sizes	6	6	6	6	8	8	10	12								
G 1306-T	4 3/4	9 3/4	15 3/4	22 3/4	30 3/4	40 3/4	51	63 3/4								GSH 102 2M
Guide Sizes	6	6	6	8	8	10	12	16								
G 1308-T	4 1/2	10	16	23 1/4	32	41	51 1/4	64								GSA 102 2H
Guide Sizes	6	6	6	8	8	10	12	16								
G 1310-T	4 1/2	9 1/2	15 1/2	22 1/2	30 1/2	39 1/2	50 3/8	63								GSH 102 2MH
Guide Sizes	6	6	8	8	10	10	12	16								
G 1313-T	4	8 1/2	13 1/2	19 1/2	26	33 3/4	42	51 3/8	63 3/4							GSH 102 2MT
Guide Sizes	6	6	6	6	8	8	10	12	16							
G 1314-T	4 1/2	10	16	24	32	41	51 1/4	64								GSA 102 2
Guide Sizes	8	8	8	10	10	12	12	16								
G 1342-T	4 1/2	9 3/4	15 1/2	22	29	37	45 1/2	54 1/2	64 1/2							GSH 102 2HX
Guide Sizes	8	8	8	8	10	10	10	12	16							
G 1318-T	4 1/2	9 3/4	15 1/2	22	29	37	45 1/2	54 1/2	64 1/2							GSH 102 2X
Guide Sizes	8	8	8	8	10	10	10	12	16							
G 1324-T	4	8 1/2	13 1/2	19	25	32	40	49	59	70						GSH 108 2M
Guide Sizes	6	6	6	6	8	8	10	10	12	16						
G 1326-T	4 1/2	9 1/2	15	21 1/2	28 1/2	37 1/4	47	57 1/2	69							GSH 108 2H
Guide Sizes	8	8	8	8	8	8	10	12	16							
G 1344-T	4 1/2	9 1/2	15	21 1/4	28 1/2	37 3/4	47 1/2	58 3/4	70							GLB 108 2ML
Guide Sizes	8	8	8	8	10	10	10	12	16							



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP												BLANK MODEL				
G 1316-T	4 1/2	9 1/2	15	21 1/4	28 1/2	37 3/4	47 1/2	58 3/4	70								GLB 108 2MH
Guide Sizes	8	8	8	8	10	10	10	12	16								
G 1348-T	4 1/2	9 1/2	14 3/4	20 5/8	27 1/8	34 1/2	43 3/8	54	66								GSH 108 2HX
Guide Sizes	8	8	8	8	10	10	10	12	16								
G 1312-T	4 1/2	9 1/2	15	21	27 1/2	34 1/2	42	50	60 1/2	72	85 1/2						GSH 126 2MH
Guide Sizes	8	8	8	8	8	8	10	10	12	12	16						
G 1218	4 7/8	11 7/8	19 3/4	28	37 9/16	52											GFW 90 2M
Guide Sizes	8	10	12	16	20	25											
G 1359	4 7/8	11 7/8	19 3/4	28	37 9/16	52											GLB 90 2ML
Guide Sizes	8	10	12	16	20	25											
G 1307	5 1/2	11 3/4	19 1/2	28	38 3/8	50 1/2	64										GSH 102 2M
Guide Sizes	8	8	10	12	16	20	30										
G 1311	5	11	18 1/4	26 1/8	36 1/8	48 1/8	62										GSH 102 2MH
Guide Sizes	8	8	10	12	16	20	30										
G 1313-S	5	11	18 1/4	26 1/8	36 1/8	48 1/8	62										GSH 02 2MT
Guide Sizes	8	8	10	12	16	20	30										
G 1315	5	11	18	26	36	48	62										GSA 102 2H
Guide Sizes	8	8	10	12	16	20	30										
G 1342-S	5	11	18	26	36	48	62										GSH 102 2HX
Guide Sizes	8	8	10	12	16	20	30										
G 1319	5	11	18	26	36	48	62										GSH 102 2X
Guide Sizes	8	8	10	12	16	20	30										
G 1321	5	11	17 1/8	24 1/8	32 1/8	41 1/16	51 15/16	67 1/4									GSH 108 2LL
Guide Sizes	6	6	8	10	12	16	20	25									
G 1355	4 3/4	9 3/4	15 3/4	22 7/8	30 7/8	39 7/8	49 3/4	61 3/16	72 1/2								GSH 108 2L
Guide Sizes	6	6	6	8	10	12	16	20	30								
G 1325	5	11	17 1/8	24 1/8	32 1/8	41 1/16	51 15/16	67 1/4									GSH 108 2L
Guide Sizes	6	6	8	10	12	16	20	25									
G 1365	####	8 15/16	15 7/8	22 3/4	29 7/8	37 1/4	45 3/16	53 1/4	62 11/16	73 3/8							GHS 114 2L
Guide Sizes	6	6	6	8	8	10	12	16	20	25							
G 1367	5	11	17 1/8	24 3/4	33 1/4	43	56 3/4	73 3/4									GSH 114 2L
Guide Sizes	6	6	8	10	12	16	20	25									

XMG 50 SERIES

EXC 703	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53					LMB 843
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12					
EXC 704	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53					LP 844
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12					
EXC 705	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53					LMB 845
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12					
EXC 722	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 1/2	52 3/4							LC 862
Guide Sizes	6	6	6	7	7	7	8	8	10	12							
EXC 724	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 1/2	52 3/4							LMB 864
Guide Sizes	6	6	6	7	7	7	8	8	10	12							
EXS 661	3 1/2	7 1/4	11 3/4	17	23 1/2	32	42 1/2										LSJ 781
Guide Sizes	6	6	7	8	10	12	20										
EXS 663	3 1/2	7 1/4	11 3/4	17	23 1/2	32	42 1/2										LSJ 783
Guide Sizes	6	6	7	8	10	12	20										
EXS 702	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2										LSJ 842
Guide Sizes	6	6	7	8	10	12	20										
EXS 703	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2										LMB 843
Guide Sizes	6	6	7	8	10	12	20										
EXS 722	3 1/2	7 1/2	12 1/2	19	27	37 1/2	50 1/2										LSJ 862
Guide Sizes	6	6	7	8	10	12	20										

SKEET REESE SERIES

SR 705R	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	41 1/2	50 3/4							MB 84 1E
Guide Sizes	6	6	6	7	7	7	8	8	10	12							
SR 765R	3	6	9	12 1/2	16 1/2	21	26	32	38 1/2	46	55 3/4						MB 90 1F
Guide Sizes	6	6	6	6	7	7	7	8	8	10	12						
SRFT 7108	3 1/4	6 1/2	9 3/4	13	16 1/4	19 3/4	23 3/4	27 1/4	31 1/4	35 1/4	39 1/4	43 1/2	47 3/4	52 1/2			IMT 968T
Guide Sizes	8	8	8	8	8	8	10	10	10	10	10	12	12	16			
SR 743S	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2										IMP 883
Guide Sizes	6	6	7	8	10	12	20										

CERTIFIED PRO GRAPHITE SPIN & CAST

XC 661	3	6 1/8	9 1/4	12 1/2	15 3/4	19 1/8	23 1/8	28 5/8	35 5/8	45							IMC 781
Guide Sizes	6	6	6	6	6	7	7	8	10	12							



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
XC 664	3	6 1/8	9 1/4	12 1/2	15 3/4	19 1/8	23 1/8	28 5/8	35 5/8	45						IMC 784
Guide Sizes	6	6	6	6	6	7	7	8	10	12						
XC 703	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				DTIMC 84 M
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XC 704	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMP 844
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XC 704 J	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMS 843
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XC 705	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	41 1/2	50 3/4						IMC 845
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XC 724	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 1/2	52 3/4						IMC 864
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XC 725	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 1/2	52 3/4						IMC 865
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XCC 724	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 1/2	52 3/4						CCB 86 4M
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XCC 725	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 5/8	52 3/4						CCB 86 5MF
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XC 734	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	42 1/2	52 3/4						IMP 904
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XC 767	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	48 1/2					XLB 96 1MH
Guide Sizes	7	7	7	7	7	7	7	7	8	10	12					
XC 807	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	47 1/2	56				XLB 96 1MH
Guide Sizes	7	7	7	7	7	7	7	7	8	8	10	12				
XPC 703	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMP 843
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XPC 704	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMP 844
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XFT 764	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	48 1/2					IMC 905-T
Guide Sizes	7	7	7	7	7	7	7	7	8	10	12					
XFT 766	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	48 1/2					IMC 906-T
Guide Sizes	8	8	8	8	8	8	8	8	10	10	12					
XFT 797	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	35 1/2	40 3/4	46	51 3/4				IMC 937-T
Guide Sizes	8	8	8	8	8	8	8	8	10	10	10	12				
XFT 806	3 1/4	6 1/2	9 3/4	13	17	21 1/4	25 3/4	30 1/2	36	41 1/2	47 1/2	54 1/2				XC 96 HT
Guide Sizes	8	8	8	8	8	8	8	8	10	10	10	12				
XS 661	3 1/2	7 1/4	11 3/4	17	23 1/4	32	42 1/2									IMS 781
Guide Sizes	6	6	7	8	10	12	20									
XS 663	3 1/2	7 1/4	11 3/4	17	23 1/2	32	42 1/2									IMS 783
Guide Sizes	6	6	7	8	10	12	20									
XS 703	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMS 843
Guide Sizes	6	6	7	8	10	12	20									
XPS 662	3 1/2	7 1/4	11 3/4	17	23 1/2	32	42 1/2									XP 783
Guide Sizes	6	6	7	8	10	12	20									
XPS 702	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 843
Guide Sizes	6	6	7	8	10	12	20									
XPS 702 X	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									LP 842
Guide Sizes	6	6	7	8	10	12	20									
XPS 703	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 843
Guide Sizes	6	6	7	8	10	12	20									
XPS 704	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 844
Guide Sizes	6	6	7	8	10	12	20									
XPS 763	3 1/2	7 1/2	12 1/2	18 1/2	25 1/2	33 3/8	43 1/8	54 1/4								IMP 903
Guide Sizes	6	6	7	8	10	12	16	20								
CERTIFIED PRO FIBERGLASS																
XCF 665	3 1/8	6 3/8	9 3/4	13 1/4	17 1/4	22 1/4	28 1/2	36	45							BXC 785F
Guide Sizes	6	6	6	7	7	8	8	10	12							
XCF 705	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	41 1/2	50 3/4						BXC 845F
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
XCF 705R	3	6 1/4	9 3/4	13 3/4	18	23	28 1/4	34 1/4	41 1/2	50 3/4						MBM 84 1E
Guide Sizes	6	6	6	7	7	7	8	8	10	12						
DON IOVION SERIES																
62 ML	3 3/8	7 1/4	12 1/4	18 1/4	25 1/4	33 9/16	43									GW 74 ML
Guide Sizes	6	6	6	7	8	10	12									



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
62 MH	3 3/8	7 1/4	12 1/4	18 1/4	25 1/4	33 9/16	43									GW 74 MH
Guide Sizes	6	6	6	7	8	10	12									
62 SML	3	6	10	15	21	30	41 3/4									GW 74 ML
Guide Sizes	8	8	10	12	16	20	30									
62 SMH	3	6	10	15	21	30	41 3/4									GW 74 MH
Guide Sizes	8	8	10	12	16	20	30									

MUSKIE

LGM 70 MH	4	9	15	21 1/2	28	35	44									LGM 84 1MH
Guide Sizes	10	10	10	10	12	12	16									
LGM 70 H	4	9	15	21 1/2	28	35	44									LGM 84 1H
Guide Sizes	10	10	10	10	12	12	16									
LGM 70 XH	4	9	15	21 1/2	28	35	44									LGM 84 1XH
Guide Sizes	10	10	10	10	12	12	16									
LGM 76 H	5 1/2	11 1/4	18 1/2	26	34	43	53 1/4									LGM 90 1H
Guide Sizes	8	8	8	10	10	12	16									
LGM 80 H	4 1/2	9 1/2	15	21	28	36	46	56 1/2								LGM 96 1H
Guide Sizes	8	8	8	10	10	12	16	20								
LGM 80 XH	4 1/2	9 1/2	15	21	28	36	46	56 1/2								LGM 96 1XH
Guide Sizes	8	8	8	10	10	12	16	20								
LGM 86 XH	4 1/2	9 1/4	13 3/4	19	24 1/4	31	38 1/4	48	58 1/2							LGM 102 1XH
Guide Sizes	8	8	8	10	10	12	12	16	20							
LGM 90 H	4 1/2	9 1/2	15 3/4	22 1/2	30 1/4	40	50 1/2	63								LGM 102 1XH
Guide Sizes	8	8	10	10	12	12	16	20								
LGM 70 HS	5 3/4	11 3/4	18	26 1/4	35 1/4	45 3/4										LGM 84 1H
Guide Sizes	10	10	12	16	25	40										

G1000 GRAPHITE SPIN & CAST

G 1208	5 5/8	14 1/2	24 5/8	38 1/2												GUL 662
Guide Sizes	8	12	16	20												
G 1210	4 7/8	11 1/2	20	29 1/2	40											GFW 72 2L
Guide Sizes	8	10	12	16	25											
G 1212	5 1/2	13	21 1/2	32	45											GFW 78 2ML
Guide Sizes	8	10	12	16	25											
G 1213	5 1/2	13	21 1/2	32	45											GFW 78 2M
Guide Sizes	8	10	12	20	30											
G 1214	4 7/8	11 1/2	20	29 1/2	40	52										GFW 84 2ML
Guide Sizes	8	10	12	16	20	30										
G 1215	4 7/8	11 1/2	20	29 1/2	40	52										GFW 84 2M
Guide Sizes	8	10	12	16	20	30										
G 1218	4 7/8	11 7/8	19 3/4	28	37 9/16	52										GFW 90 2M
Guide Sizes	8	10	12	16	20	25										

ULTRA LIGHT CASTING/TROLLING/SPINNING

FC 76 UL	3 1/2	7	10 1/2	14	18 3/8	22 7/8	28 1/2	35	42	49 1/2	58 1/2					FL 904-1
Guide Sizes	6	6	6	6	6	6	8	8	8	8	10					
GC 792 UL	3 1/2	7 10	10 1/2	14 1/2	18 3/8	22 7/8	28 1/2	35	42 1/2	51 1/2	61 3/8					GFW 93 2UL
Guide Sizes	6	6	6	6	6	6	8	8	8	8	10					

SUPER SURF SERIES

SS 101 MHC	4	8 1/2	13 3/8	19 3/8	27 1/2	36 1/2	46 7/8	59 1/2								SSU 120 1MH
Guide Sizes	10	10	10	10	12	12	16	20								
SS 9 MS	5	11 1/2	19	27	38	53										SSU 108 2ML
Guide Sizes	12	16	20	25	30	40										
SS 91 MHS	5	11 1/2	19	27	38	51 1/2										SSU 108 1M
Guide Sizes	12	16	20	25	34	40										
SS 10 MHS	5	11	18	26 1/2	36	46 1/2	60									SSU 120 2MH
Guide Sizes	12	12	16	20	25	30	40									
SS 101 MS	5	11	18	26 1/2	36	46 1/2	60 3/4									SSU 120 1M
Guide Sizes	12	12	16	20	25	30	40									
SS 101 MHS	5	11	18	26 1/2	36	46 1/2	60 3/4									
Guide Sizes	12	12	16	20	25	30	40									
SS 106 MHS	5	11	18 3/4	27 1/2	37 1/4	49 1/8	62 1/2									SSU 126 2MH
Guide Sizes	12	12	16	20	25	30	40									
SS 11 MHS	5	10 1/2	16 1/2	23	30 1/2	39 1/2	50 1/2	66								SSU 132 2MH
Guide Sizes	12	12	12	16	20	25	30	40								
SS 10 MHS DH	5 1/2	14 1/4	24 3/8	35 3/8	47 5/8	60 3/4										SSU 121 2MH
Guide Sizes	12	16	20	25	30	40										



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
SS 105 MHS DH	5 1/2	14 1/4	24 3/8	35 3/8	47 5/8	60 3/4										SSU 125 2MH
Guide Sizes	12	16	20	25	30	40										
SS 108 MHS ACDH	5 1/2	14 1/4	24 3/8	35 3/8	47 5/8	60 3/4										SSU 126 2MH
Guide Sizes	12	16	20	25	30	40										
SS 11 MHS DH	5 1/2	14 1/2	24 3/4	34 3/4	47 5/8	60	72 3/4									SSU 132 2MH
Guide Sizes	12	16	20	25	30	40	50									
SS 115 MHS DH	5 1/2	14 1/2	24 3/4	35 3/4	47 5/8	60	72 3/4									SSU 137 2MH
Guide Sizes	12	16	20	25	30	40	50									
SS 118 MHS ACDH	5 1/2	14 1/2	24 3/4	35 3/4	47 5/8	60	72 3/4									SSU 140 2MH
Guide Sizes	12	16	20	25	30	40	50									

RON ARRA SURF SERIES

XCRA 1205	6 1/2	14	23 1/2	34 1/2	48	63 1/2										XRA 1205
Guide Sizes	12	12	16	16	20	25										
XSRA 961	7	17	31	50												XRA 96 1M
Guide Sizes	10	12	20	40												
XSRA 1022-2	7 1/4	17 1/2	31	49 3/4												XRA 102 2M
Guide Sizes	10	12	20	40												
XSRA 1083	8	19	33	53												XRA 1083
Guide Sizes	10	12	20	40												
XSRA 1083-2	8	19	33	53												XRA 1083-2
Guide Sizes	10	12	20	40												
XSRA 1084	8	19	33	53												XRA 1084
Guide Sizes	10	12	20	40												
XSRA 108 4-2	8	19	33	53												XRA 1084-2
Guide Sizes	10	12	20	40												
XSRA 1203-2	7 5/8	15 7/8	26 3/8	40 3/4	58											XRA 1203-2
Guide Sizes	12	16	25	40	50											
XSRA 1204	7 5/8	15 7/8	26 3/8	40 3/4	58											XRA 1204
Guide Sizes	12	16	25	40	50											
XSRA 1205	7 5/8	15 7/8	26 3/8	40 3/4	58											XRA 1205
Guide Sizes	12	16	25	40	50											
XSRA 1205-2	7 5/8	15 7/8	26 3/8	40 3/4	58											XRA 1205-2
Guide Sizes	12	16	25	40	50											
XSRA 1321-2	7	19	32 1/2	46 1/2	65 1/2											XRA 1321-2
Guide Sizes	12	16	25	40	50											
XSRA 1322-2	7	19	32 1/2	46 1/2	65 1/2											XRA 1322-2
Guide Sizes	12	16	25	40	50											

GRAPHITE SURF & JETTY

XS 101 MHC	4	8 1/2	13 3/8	19 3/8	27 1/2	36 1/2	46 7/8	59 1/2								GSB 120 1M
Guide Sizes	10	10	10	10	12	12	16	20								
XS 10 MHC	4	8 1/2	13 3/8	19 3/8	27 1/2	36 1/2	46 7/8	59 1/2								GSB 120 2M
Guide Sizes	10	10	10	10	12	12	16	20								
XS 11 MHC	5	11 1/4	18 1/2	26 3/4	36	46 1/2	58	72								GSB 132 2M
Guide Sizes	10	10	10	10	12	12	16	20								
XS 12 MHC	7 1/2	16 1/4	26 1/4	37	49	64	81 1/2									GSB 144 2MH
Guide Sizes	16	16	16	16	16	20	25									
XS 15 MHC	6	12 1/2	20 1/2	30 5/8	44 1/2	59 7/8	78 7/8	100 3/8								GSB 180 2MH
Guide Sizes	16	16	16	16	20	20	25	30								
XS 71 MS	7	16	27	41												GLB 84 1M
Guide Sizes	12	20	30	40												
XS 81 MS	7	17	31	50												GLB 96 1M
Guide Sizes	12	20	30	40												
XS 91 MHS	8	19	33	53												GLB 108 1MH
Guide Sizes	16	25	40	50												
XS 9 MHS	7 3/8	16 1/2	27	39	52 1/4											GLB 108 2MH
Guide Sizes	12	16	25	40	50											
XS 96 MHS	6	15	25	39	56											GLB 114 2MH
Guide Sizes	12	16	25	40	50											
XS 10 MS	7 5/8	15 7/8	26 3/8	40 3/4	58											GSB 120 2L
Guide Sizes	12	16	25	40	50											
XS 10 MHS	7 5/8	15 7/8	26 3/8	40 3/4	58											GSB 120 2M
Guide Sizes	12	16	25	40	50											
XS 101 MS	7 5/8	16 7/8	28 3/8	44 3/4	64											GSB 120 1L
Guide Sizes	12	16	25	40	50											
XS 101 MSAC	8	23	41	62												GSB 120 1L
Guide Sizes	16	25	40	50												



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP												BLANK MODEL	
XS 1061 PP	5	13	24	36	49 1/2	63 1/2								CSB 126 1M
Guide Sizes	12	16	20	25	40	50								
XS 11 MS	7 1/2	18 1/4	30	45	64									GSB 132 2L
Guide Sizes	12	16	25	40	50									
TRI FLEX GRAPHITE SURF														
TS 86 MS	7 1/4	14 1/2	22 3/4	33 3/4	49 3/4									CSB 102 2L
Guide Sizes	12	16	25	30	40									
TS 9 MHS	7 3/8	16 1/2	27	39	52 1/4									CSB 108 2M
Guide Sizes	12	16	25	40	50									
TS 96 MHS	6	15	25	39	56									CSB 114 2M
Guide Sizes	12	16	25	40	50									
TS 10 MHS	7 5/8	15 7/8	26 3/8	40 3/4	58									CSB 120 2M
Guide Sizes	12	16	25	40	50									
SURF LITES														
LSU 762	4	9	18.5	22	31	41 1/2	52							XSH 84 2L
Guide Sizes	7	8	10	12	16	20	30							
LSU 802	N/A at this time													XSH 96 2L
Guide Sizes														
LSU 862	N/A at this time													XSH 102 2L
Guide Sizes														
BIG BANG HEAVER														
NW 1310	N/A at this time													SB 166 5F
Guide Sizes														
NW 1310-2	5	11	17	23	29	37	46	56	67	83	100 1/4			SB 166 5F-2
Guide Sizes	12	12	12	12	12	16	16	16	20	20	25			
TRI FLEX GRAPHITE OFFSHORE														
OBL 5630 C	4	8 1/8	13	18 3/4	25 1/2	33								CHJ 6680
Guide Sizes	10	10	12	12	16	20								
OBL 5650 C	4	8 1/8	13	18 3/4	25 1/2	33								CHJ 6680
Guide Sizes	10	10	12	12	16	20								
OBL 5610	4	8	12 7/8	19	26	33 1/2								ISW 66 XXHF-ST
Guide Sizes	10	10	12	12	16	20								
OBL 6080 C	3 3/4	8	12 1/2	18	24	31	38 3/4							GFC 72 XXH
Guide Sizes	10	10	10	12	12	16	20							
OBL 5630 CPO	4 7/8	9 3/4	14 3/4	20	25 7/8	32 1/4								CHJ 6650
Guide Sizes	6F	6F	8F	8F	10F	10FH								
OBL 5650 CPO	4 7/8	9 3/4	14 3/4	20	25 7/8	32 1/4								CHJ 6680
Guide Sizes	8	8	8	10	10	10FH								
OBL 6080 CPO	4 1/4	9	14 1/2	21 1/2	30 3/8	40 1/2								GFC 72 XXH
Guide Sizes	8	8	8	10	10	10								
OBL 7025 CPO	3 3/4	8	12 3/4	19	26 3/4	35 1/2	47 1/8							CGBT 84 1ML
Guide Sizes	5.5	5.5	6	6	6	8	10							
OBL 5610 AR	5	10	15 1/2	22 1/2	30 3/4									ISW 66 XXHMF-ST
Guide Sizes	31	31	41	41	51									
OBL 6830 AR	5	10	15 1/2	22	30 1/4	39 1/4								CGRT 30
Guide Sizes	31	31	41	41	41	51								
OBL 6850 AR	5	10	15 1/2	22	30 1/4	39 1/4								CGRT 50
Guide Sizes	31	31	41	41	41	51								
OBL 6880 AR	5 1/2	11 1/2	18 1/2	27	37									CGRT 80
Guide Sizes	22	22	32	42	47									
TROPIC PRO JIGGING AND POPPIN														
TP 5630 CJ	3 7/8	8 3/8	13	18 1/4	24 3/8	31 1/2								CHJ 6630C
Guide Sizes	10	10	12	12	16	20								
TP 5650 CJ	3 7/8	8 3/8	13	18 1/4	24 3/8	31 1/2								CHJ 6650
Guide Sizes	10	10	12	12	16	20								
TP 5630 SJ	4	8 1/4	13 1/2	19 1/2	26 5/8									CHJ 6630
Guide Sizes	12	16	20	30	40									
TP 5650 SJ	4	8 1/4	13 1/2	19 1/2	26 5/8									CHJ 6630
Guide Sizes	12	16	20	30	40									
TP 7030 SP	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2							NZ 84 2M
Guide Sizes	8	8	10	10	12	16	25							
TP 8040 SP	5 1/2	12	21	31	41 1/4	53 1/4								NC 96 2H
Guide Sizes	10	12	16	20	30	40								



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
TP 8650 SP Guide Sizes	5 1/2	12 1/2	21	31	42	55 1/2										NZ 102 2XH
TRI FLEX GRAPHITE SALTWATER																
BL 6620 C Guide Sizes	4	8 3/4	13 1/2	19	25	32	40									CGBT 78 1L
BL 6625 C Guide Sizes	4	8 3/4	13 1/2	19	25	32	40									CGBT 78 1ML
BL 6630 C Guide Sizes	4 1/2	8 3/4	13 1/2	19	25	32	40									CGBT 78 1M
BL 6640 C Guide Sizes	4 1/2	8 3/4	13 1/2	19	25	32	40									CGBT 78 1MH
BL 7020 C Guide Sizes	4	8 3/4	14	20	27	34 1/4	45 1/4									CGBT 84 1L
BL 7025 C Guide Sizes	4	8 3/4	14	20	27	34 1/4	45 1/4									CGBT 84 1ML
BL 7030 C Guide Sizes	4	8 1/2	13 1/2	19 1/2	26 1/4	33 3/4	43 3/4									CGBT 84 1M
BL 7040 C Guide Sizes	4	8 1/2	13 1/2	19 1/2	26 1/4	33 3/4	43 3/4									CGBT 84 1MH
BL 7050 LB Guide Sizes	4	8 1/2	13 1/2	19 1/2	26 1/4	33 3/4	43 3/4									GFC 84 H
BL 8050 C Guide Sizes	6	13	21	31	41 1/2	53										CGBT 96 H
BL 6620 S Guide Sizes	5 7/8	11 3/4	19 7/8	29 1/4	39 1/2											CGBT 78 1L
BL 6640 S Guide Sizes	5 7/8	11 3/4	19 7/8	29 1/4	39 1/2											CGBT 78 1MH
BL 7020 S Guide Sizes	5 3/4	11 3/4	18	26 1/4	35 1/4	45 3/4										CGBT 84 1L
BL 7025 S Guide Sizes	5 3/4	11 3/4	18	26 1/4	35 1/4	45 3/4										CGBT 84 1ML
INDIAN RIVER																
IRFA 703C Guide Sizes	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				TLP 84 3
IRFA 764 C Guide Sizes	3	6	9	12	15 1/4	18 3/4	22 3/4	27 1/4	32 1/4	38 1/4	45 3/4	55 3/4				TLP 90 4
IRFA 702S Guide Sizes	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									TLP 84 2
IRFA 703S Guide Sizes	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									TLP 84 3
IRFA 704S Guide Sizes	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									TLP 84 4
IRFA 763S Guide Sizes	3 1/2	7 1/2	12 1/2	18 1/2	25 1/2	33 3/8	43 1/8	54 1/4								TLP 90 3
IRFA 764S Guide Sizes	3 1/2	7 1/2	12 1/2	18 1/2	25 1/2	33 3/8	43 1/8	54 1/4								TLP 90 4
TEXALUM INSHORE																
TEX 7020 C Guide Sizes	2 5/8	5 7/8	9 3/4	14 3/8	19 7/8	26 1/2	34 1/2	44 1/8								TEX 84 1ML
TEX 7030 C Guide Sizes	2 5/8	5 7/8	9 3/4	14 3/8	19 7/8	26 1/2	34 1/2	44 1/8								TEX 84 1M
TEX 7820 C Guide Sizes	2 3/8	5 1/4	8 3/4	12 7/8	17 7/8	23 7/8	31	39 5/8	50							TEX 92 1ML
TEX 7830 C Guide Sizes	2 3/8	5 1/4	8 3/4	12 7/8	17 7/8	23 7/8	31	39 5/8	50							TEX 92 1M
TEX 8020 C Guide Sizes	2 1/8	4 1/2	7 1/2	11 1/8	15 1/2	20 1/2	26 7/8	34 3/8	43 1/4	54						TEX 96 1ML
TEX 8030 C Guide Sizes	2 1/8	4 1/2	7 1/2	11 1/8	15 1/2	20 1/2	26 7/8	34 3/8	43 1/4	54						TEX 96 1M
TEX 7020 S Guide Sizes	3 1/4	7 1/4	12	17 3/4	24 1/2	32 1/2	42 1/2									TEX 84 1ML
TEX 7030 S Guide Sizes	3 1/4	7 1/4	12	17 3/4	24 1/2	32 1/2	42 1/2									TEX 84 1M



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
TEX 7825 S Guide Sizes	3 3/4	8 3/4	15	22 1/4	33 1/2	47 1/2										TEX 92 1MML
	8	10	12	16	20	30										
TRI FLEX GRAPHITE INSHORE																
TFX 7020 C Guide Sizes	2 5/8	5 7/8	9 3/4	14 3/8	19 7/8	26 1/2	34 1/2	44 1/8								TXC 84 1ML
	7	7	7	8	8	10	12	16								
TFX 7020 CT Guide Sizes	4	8	12	16	20	25	30	36 1/2	44 1/2							TF 8430
	7	7	7	7	8	8	10	12	16							
TFX 7030 C Guide Sizes	2 5/8	5 7/8	9 3/4	14 3/8	19 7/8	26 1/2	34 1/2	44 1/8								TXC 84 1M
	7	7	7	8	8	10	12	16								
TFX 7030 CT Guide Sizes	4	8	12	16	20	25	30	36 1/2	44 1/2							TF 8440
	7	7	7	7	8	8	10	12	16							
TFX 7040 CT Guide Sizes	4	8	12	16	20	25	30	36 1/2	44 1/2							GTF 84 1M
	7	7	7	7	8	8	10	12	16							
TFX 7650 CT Guide Sizes	3	6 1/8	9 1/2	13 1/2	18	23 1/4	29 1/2	37 1/2	48							GTF 90 1MH
	7	7	7	7	7	8	10	12	16							
TFX 7820 C Guide Sizes	2 3/8	5 1/4	8 3/4	12 7/8	17 7/8	23 7/8	31	39 5/8	50							TXC 92 1ML
	7	7	7	7	8	8	10	12	16							
TFX 7830 C Guide Sizes	2 3/8	5 1/4	8 3/4	12 7/8	17 7/8	23 7/8	31	39 5/8	50							TXC 92 1H
	7	7	7	7	8	8	10	12	16							
TFX 8020 C Guide Sizes	2 1/8	4 1/2	7 1/2	11 1/8	15 1/2	20 1/2	26 7/8	34 3/8	43 1/4	54						TXC 96 1ML
	7	7	7	7	8	8	8	10	12	16						
TFX 8030 C Guide Sizes	2 1/8	4 1/2	7 1/2	11 1/8	15 1/2	20 1/2	26 7/8	34 3/8	43 1/4	54						TXC 96 1M
	7	7	7	7	8	8	8	10	12	16						
TFX 7020 S Guide Sizes	3 1/4	7 1/4	12	17 3/4	24 1/2	32 1/2	42 1/2									TXC 84 1ML
	8	8	10	12	16	20	25									
TFX 7030 S Guide Sizes	3 1/4	7 1/4	12	17 3/4	24 1/2	32 1/2	42 1/2									TXC 84 1M
	8	8	10	12	16	20	30									
TFX 7040 S Guide Sizes	3 1/4	7 1/4	12	17 3/4	24 1/2	32 1/2	42 1/2									GTF 84 1M
	8	8	10	12	16	20	30									
GRAPHITE INSHORE CLASSIC SERIES																
IC 66 MH Guide Sizes	4	8 1/2	13 1/2	19	25	32	40									IC 78 MH
	8	8	8	10	10	12	16									
IC 66 H Guide Sizes	4	8 1/2	13 1/2	19	25	32	40									IC 78 H
	8	8	8	10	10	12	16									
IC 70 M Guide Sizes	4	8 3/4	14	20	27	34 1/2	45 1/4									IC 84 M
	10	10	10	12	12	16	20									
IC 70 MH Guide Sizes	4	8 3/4	14	20	27	34 1/4	45 1/4									IC 84 MH
	10	10	10	12	12	16	20									
IC 70 H Guide Sizes	4	8 1/2	13 1/2	19 1/2	26 1/4	33 3/4	43 3/4									IC 84 H
	10	10	10	12	12	16	20									
IC 76 H Guide Sizes	4 1/2	9 1/2	15 1/2	22 1/2	30	38 1/4	48									IC 90 H
	8	8	10	12	12	16	20									
IC 80 H Guide Sizes	4 1/2	9 1/2	15	21	28	36	46	56 1/2								IC 96 H
	8	8	8	10	10	12	16	20								
IC 70 MLS Guide Sizes	4 1/2	11	18 1/2	26	35	47										IC 84 ML
	8	10	12	16	25	30										
IC 70 MHS Guide Sizes	5 3/4	11 3/4	18	26 1/4	35 1/4	45 3/4										IC 84 MH
	10	10	12	16	25	40										
IC 70 HS Guide Sizes	5 3/4	11 3/4	18	26 1/4	35 1/4	45 3/4										IC 84 H
	10	10	12	16	25	40										
IC 76 MHS Guide Sizes	4 3/4	10	16	22 1/2	30	38 1/2	47 1/2									IC 90 MH
	10	10	10	12	16	25	40									
IC 76 HS Guide Sizes	4 3/4	10	16	22 1/2	30	38 1/2	47 1/2									IC 90 H
	10	10	10	12	16	25	40									
CERTIFIED PRO POPPIN'																
XPC 703 Guide Sizes	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMP 843
	6	6	6	6	6	7	7	7	8	8	10	12				
XPC 704 Guide Sizes	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMP 844
	6	6	6	6	6	7	7	7	8	8	10	12				
XPS 662 Guide Sizes	3 1/2	7 1/4	11 3/4	17	23 1/2	32	42 1/2									XP 783
	6	6	7	8	10	12	20									
XPS 702 Guide Sizes	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 843
	6	6	7	8	10	12	20									



Lamiglas Guide Spacing Chart

Revised 12/31/08

ROD MODEL	ALL MEASUREMENTS ARE IN INCHES FROM TIP														BLANK MODEL	
XPS 702 X	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									LP 842
Guide Sizes	6	6	7	8	10	12	20									
XPS 703	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 843
Guide Sizes	6	6	7	8	10	12	20									
XPS 704	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 844
Guide Sizes	6	6	7	8	10	12	20									
XPS 763	3 1/2	7 1/2	12 1/2	18 1/2	25 1/2	33 3/8	43 1/8	54 1/4								IMP 903
Guide Sizes	6	6	7	8	10	12	16	20								
XPS 764	3 1/2	7 1/2	12 1/2	18 1/2	25 1/2	33 3/8	43 1/8	54 1/4								IMP 904
Guide Sizes	6	6	7	8	10	12	16	20								

TRI FLEX GRAPHITE SALTWATER

LK 7615 C	3 1/2	7	10 1/2	14 1/2	19 1/2	25 1/2	32 1/2	40 1/2	50							TF 90 15
Guide Sizes	8	8	8	8	10	10	10	12	16							

LK 7620 C	3 1/2	7	10 1/2	14 1/2	19 1/2	25 1/2	32 1/2	40 1/2	50							TF 90 20
Guide Sizes	8	8	8	8	10	10	10	12	16							
LK 7625 C	3 1/2	7	10 1/2	14 1/2	19 1/2	25 1/2	32 1/2	40 1/2	50							TF 90 25
Guide Sizes	8	8	8	8	10	10	10	12	16							
LK 7640 C	3 1/2	7	10 1/2	14 1/2	19 1/2	25 1/2	32 1/2	40 1/2	50							TF 90 40
Guide Sizes	8	8	8	8	10	10	10	12	16							
LK 7230 S	3 1/2	7 1/2	12 1/2	19 1/2	27 3/4	37 1/2	50 1/2									TF 8630
Guide Sizes	8	8	10	10	12	16	25									
LK 7615 S	4 1/4	9 3/4	16 3/4	26 1/4	37	49 3/4										TF 90 15
Guide Sizes	8	10	12	16	20	25										
LK 7620 S	4 1/4	9 3/4	16 3/4	26 1/4	37	49 3/4										TF 90 20
Guide Sizes	8	10	12	16	20	25										
LK 7625 S	4 1/4	9 3/4	16 3/4	26 1/4	37	49 3/4										TF 90 25
Guide Sizes	8	10	12	16	20	25										

TRAVEL SERIES

XTC 704	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				IMP 844-3
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XTC 7025	3	6	9	12	15 1/4	19	23	27 1/4	32	37 1/2	44	53				XT 8425
Guide Sizes	6	6	6	6	6	7	7	7	8	8	10	12				
XTC 865	3	6	9	12	15	18	21 1/4	25 1/2	29 3/4	34 1/4	39 1/2	46	53 1/2	62 1/2		XT 102 3H
Guide Sizes	6	6	6	6	6	6	6	6	7	7	8	8	10	12		
XTS 703	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 843-3
Guide Sizes	6	6	7	8	10	12	20									
XTS 704	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									IMP 844-3
Guide Sizes	6	6	7	8	10	12	20									
XTS 7025	3 1/2	7 1/2	12 1/2	19	27	36 1/2	48 1/2									XT 8425
Guide Sizes	6	6	7	8	10	12	20									
XTS 865	3 3/4	8	12 3/4	18 1/4	24 1/4	32	40 1/2	50 1/2	64							XT 102 3H
Guide Sizes	7	7	8	8	8	10	12	20	25							
XTS 105	6	12	19	27 3/4	39	52	67 1/2									GSB 120 4M
Guide Sizes	10	10	12	16	20	30	40									